

Attachment J.10**TABLE OF CONTENTS****Technical Product Specification for Officer's Uniform and Equipment**

Description	CLIN	Page
Battle Dress Uniform, Hat, 8-Pt., Black	0011	3
Battle Dress Uniform, Hat, 8-Pt., Blue	0010	3
Battle Dress Uniform, Hat, 8-Pt., Tan	0015	3
Battle Dress Uniform, Pants, Black	0007, 0052, 0053	4
Battle Dress Uniform, Pants, Blue	0006, 0050, 0051	4
Battle Dress Uniform, Pants, Tan	0012, 0058, 0059	4
Battle Dress Uniform, Shirt, Long Sleeve, Black	0009, 0056, 0057	8
Battle Dress Uniform, Shirt, Long Sleeve, Blue	0008, 0054, 0055	8
Battle Dress Uniform, Shirt, Long Sleeve, Tan	0013, 0060, 0061	8
Battle Dress Uniform, Shirt, Short Sleeve, Black	0087, 0088, 0089	12
Battle Dress Uniform, Shirt, Short Sleeve, Blue	0090, 0091, 0092	12
Battle Dress Uniform, Shirt, Short Sleeve, Tan	0014, 0062, 0063	12
Belt, Sam Browne	0037, 0082, 0083	15
Belt, Ultra Duty	0031	16
Blouse Coat, Tropical, Blue, Female	0005, 0049	17
Blouse Coat, Tropical, Blue, Male	0004, 0046, 0047, 0048	17
Body Armor	0084	23
Body Armor, Vest Carrier, Replacement	0016	27
Body Armor, Vest Carrier, Tactical	0017	28
Body Armor, Vest Carrier, Wavier	0018	29
Gloves, White (pair)	0040	30
Hat, 8-Point, Blue	0019	31
Hat, Winter Trooper, w/MPD Logo	0039	33
Jacket, Winter, Female, Black	0025, 0074, 0075	34
Jacket, Winter, Male Black	0024, 0072, 0073	34
Jacket, Winter, Female, Blue	0023, 0070, 0071	35
Jacket, Winter, Male, Blue	0022, 0068, 0069	35
Motorcycle Breeches, Winter/Summer	0036	36
Mountain Bike, Jacket	0093	39
Mountain Bike, Pants	0064	40
Mountain Bike, Shirt, Long Sleeve	0065	41
Mountain Bike, Shirt, Short Sleeve	0066	42
Mountain Bike, Shorts	0067	43
Mounted/Motor Patrol Helmet	0032	44
Mounted Patrol Rain Jacket	0033, 0078, 0079	46
Mounted Patrol Rain Pants	0034, 0080, 0081	47
Mounted Patrol Riding Breeches	0035	48
Necktie, Female, Blue	0021	50
Necktie, Male, Blue	0020	50
Raincoat, Reflective (Unisex)	0026, 0076, 0077	51
Shirt, Long Sleeve, White, Female	0003, 0045	52
Shirt, Long Sleeve, White, Male	0002, 0044	55
Shirt, Short Sleeve, White, Female	0085	58

Attachment J.10**Table of Contents (continuation)****Technical Product Specification for Officer's Uniform and Equipment**

Description	CLIN	Page
Shirt, Short Sleeve, White, Male	0086	60
Shirt, Long Sleeve, Blue, Female	0030	62
Shirt, Long Sleeve, Blue, Male	0027	62
Shirt, Short Sleeve, Blue, Female	0029	66
Shirt, Short Sleeve, Blue, Male	0028	66
Trousers, Tropical, Blue, Unisex	0001, 0041, 0042, 0043	70
Visibility Vest	0038	74

MPD Emblem and Patches:

Patch No. 1 -	75
Patch No. 2 -	75
Patch No. 3 -	75
Patch No. 4 -	75
Patch No. 5 -	75
Patch No. 6 -	75
Patch No. 7 -	75
Patch No. 8 -	75
Patch No. 9 -	75
Patch No. 10 -	75
Patch No. 11 -	75
Patch No. 12 -	75
Patch No. 13 -	75
Patch No. 14 -	75
Patch No. 15 -	75
Patch No. 16 -	75
Patch No. 17 -	75

Attachment J.10

Battle Dress Uniform, Hat, 8-Point

BLACK (CLIN 0011)

BLUE (CLIN 0010)

TAN (CLIN 0015)

BLACK (CLIN 0011)

Marine style BDU cap with panels (8 point), 4 ventilation holes with 2 on each side of cap, color black, is 65/35 poly/cotton ripstop. Top of hat is stitched. Sizes are from Small to 2X- large

BLUE (CLIN 0010)

Marine style BDU cap with panels (8 point), 4 ventilation holes with 2 on each side of cap, color navy blue, material; is 65/35 poly/cotton ripstop. Top of hat is stitched. Sizes are from Small to 2X- large

TAN (CLIN 0015)

Marine style BDU cap with panels (8 point), 4 ventilation holes with 2 on each side of cap, color tan, is 65/35 poly/cotton ripstop. Top of hat is stitched. Sizes are from Small to 2X- large

Battle Dress Uniform, Pants

Black CLIN # 0007, 0052, 0053

Blue CLIN # 0006, 0050, 0051

Tan CLIN # 0012, 0058, 0059

- Style:** Twill-weave trousers with pockets.
- Color:** Black CLIN # 0007, 0052, 0053
Blue CLIN # 0006, 0050, 0051
Tan CLIN # 0012, 0058, 0059
- Fabric:** Stretch-filled 65% polyester/35%, pre-cured for wrinkle-resistance and treated with a soil-resistant finish.
- Thread:** Spun polyester.
- Seams:** Double needle tailoring at all seams.
Tailored split seam construction.
Bar-tack reinforcement at points of strain.
- Lining:** Interlining of 100% polyester.
Crotch shall be lined in the front quarters with two (2) plies of 100% polyester, bias cut with a folded edge.
- Closures:** Four-button fly closing.
Two (2) double-button closed back pockets.
- Buttons:** Four (4) 22-ligne four-hole pure melamine plastic buttons conforming to Type II, class D, Style 20 and 21, of U.S. Military Specifications V-B-871D, spaced vertically at front fly closing.
Four (4) 22-ligne four-hole pure melamine plastic buttons conforming to Type II, class D, Style 20 and 21, of U.S. Military Specifications V-B-871D, two (2) at each back pocket
Four (4) 22-ligne four-hole pure melamine plastic buttons conforming to Type II, class D, Style 20 and 21, of U.S. Military Specifications V-B-871D, two (2) at each side pocket.
- Buttonholes:** Buttonholes are straight cut-after type.
Corresponding pocket buttonholes are vertical.
Corresponding fly buttonholes are horizontal.
- Fly:** Four (4) button fly closing.
- Pockets:** Front pockets:
Two (2) quarter pockets, one (1) on each side with 1-3/4" slant from top of waistband to side seam, finishing approximately 7-1/2" at the bottom of pocket where pocket is sewn into waistband.
Bar-tacked support at top and bottom of opening.

Attachment J.10

Hip pockets:	Set of two (2) half bellows style 9"x9" pockets with flap top above and button down closure, one on each leg. Buttons sewn at each end. Side bellows outlets achieved with stitched down tapered pleats at the right of each pocket.
Side pockets:	Set of two (2) 6" inset side pockets, one (1) on each side with double button closings and additional covering pocket flap. Buttons set at each end.
Flaps:	Corresponding flaps to cover all button pockets. Each flap has an inner attached piece with buttonholes. The top part measures 6" wide, with a slightly smaller, shorter under part that contains vertical buttonholes. These serve to correspond to the buttons on the leg of the trousers.
Waistband:	Waistband is 2" wide. Adjustable waistband tab has metal slide closing at each side. Belt Loops: Seven (7) belt loop minimum with proportional additional loops for larger sizes.
Bar-Tacks:	Bar-tack reinforcement at top and bottom of front pocket openings, inside belt loops, and at crotch stress points.
Bottoms:	Each leg has hemmed bottoms.
Outlet:	Generous seat and thigh outlet to accommodate alterations and athletic build. The seat outlet shall measure 1-1/2' on each side at the waistband tapering to .0375 inches at the crotch. There shall be thigh outlets with the back side of the inseam measuring 1" at the crotch tapering to 0.375 inch at the knee.
Pressing:	Loose threads shall be trimmed and trousers must be pressed completely and properly with seat seam, inseam, and outseam pressed open.
Labeling:	Garment shall be permanently labeled with the manufacturer, country of origin, size, fiber content, and care instructions.
Warranty:	Manufacturer agrees to warrant to the original purchaser that the product will be free from defects in material and workmanship for a period of one (1) year from date of purchase. The manufacturer agrees to repair or replace at option any item determined to be defective. This warranty does not cover normal wear and tear, improper cleaning, and damage from chemicals, fire, misuse, accident or negligence. A complete copy of the manufacturer's warranty will be available upon request.
Standard Sample:	In all details not specifically described herein, tailoring, styling, construction, materials, and the components shall conform to the standard sample.
Pre-Bid Sample:	Samples may be provided at the time of the bid opening.

Attachment J.10

Testing Pre-Bid submitted by bidders will be compared for tailoring,

Sample: Styling, construction, materials, and components with the standard sample. Nonconformity of the sample to the specification will be cause for rejection. Any sample by a bidder may be subjected to such test or tests by any Testing Laboratory as the Contracting Officer may select. The bidder shall pay for all costs in connection with any such tests.

Stock Product: To ensure availability of style and color for the purpose of maintaining departmental uniformity for future purchases, bidders must provide evidence in the form of catalogs, price lists, or similar written material that this item is currently available on an "as needed" basis. The pre-bid sample must provide from current manufacturer's stock of the specified style. The successful bidder will be required to provide a full size run of try-on garments within 10 days for agency approval, sizing of personnel, and for further evidence of stock availability.

Packaging: Folded and individually poly-bagged.

Attachment J.10

Size Chart							
Unisex, BDU Pant, Combat Cloth Size Dimensions (Inches)							
	Waist	Hip	Thigh	Inseam	Front Rise	Back Rise	Leg Opening
Regular:							
XSmall	27	39	26	32	11-1/2	17	15-1/2
Small	27-31	43	28	32	12	17-1/2	16-1/2
Medium	31-35	47	30	32	12-1/2	18	17-1/2
Large	35-39	51	32	32	13	18-1/2	18-1/2
XLarge	39-43	55	34	32	13-1/2	19	19-1/2
2XLarge	43-47	59	36	32	14	19-1/2	20-1/2
3XLarge	47-51	63	38	32	14-1/2	20	21-1/2
Long:							
XSmall	27	39	26	35	12	17	15-1/2
Small	27-31	43	28	35	12-1/2	17-1/2	16-1/2
Medium	31-35	47	30	35	13	18	17-1/2
Large	35-39	51	32	35	13-1/2	18-1/2	18-1/2
XLarge	39-43	55	34	35	14	19	19-1/2
2XLarge	43-47	59	36	35	14-1/2	19-1/2	20-1/2
3XLarge	47-51	63	38	35	15	20	21-1/2
X-Long:							
XSmall	27	39	26	38	12-1/2	17	15-1/2
Small	27-31	43	28	38	13	17-1/2	16-1/2
Medium	31-35	47	30	38	13-1/2	18	17-1/2
Large	35-39	51	32	38	14	18-1/2	18-1/2
XLarge	39-43	55	34	38	14-1/2	19	19-1/2
2XLarge	43-47	59	36	38	15	19-1/2	20-1/2
3XLarge	47-51	63	38	38	15-1/2	20	21-1/2

Battle Dress Uniform, Shirt, Long Sleeve

Black CLIN # 0009, 0056, 0057

Blue CLIN # 0008, 0054, 0055

Tan CLIN # 0013, 0060, 0061

- Style:** Long-sleeve, Battle Dress Uniform (BDU) shirt.
- Color:** Black CLIN # 0009, 0056, 0057
Blue CLIN # 0008, 0054, 0055
Tan CLIN # 0013, 0060, 0061
- Fabric:** 65% polyester, 35% cotton twill
- Thread:** Spun polyester.
- Seams:** Single needle construction except sleeve seams.
Sleeve setting seams and body joining seams shall be double needle chain stitched, lap seam toiled construction.
Seams shall be free from puckering, pleats, run-offs, and raw edge.
- Lining:** Non-woven polyester interlining at collar.
- Closures:** Buttons down front including collar tab closing.
Button cuff, button sleeve closing, and button down flap pockets.
- Buttons:** Nine (9), black 30-ligne melamine plastic 4-hole buttons down the front.
Front buttons spaced approximately 4" apart, except for bottom button only 1" distant from eighth button.
Two (2), black 30-ligne melamine plastic 4-hole buttons, one (1) on each cuff.
Two (2), black 30-ligne melamine plastic 4-hole buttons, one (1) corresponding with each sleeve closing.
Two (2), black 30-ligne melamine plastic 4-hole buttons, one (1) corresponding with each shoulder strap.
Two (2), black 30-ligne melamine plastic 4-hole buttons, one (1) on each flap pocket.
- Buttonholes:** Corresponding vertical eyelet end buttonholes, taper bar cut or cut-first type with #8 gimp inserted.
If cut-first type, thread ends shall be inserted.
- Pockets:** Two (2) breast patch pockets measuring approximately 6"x6" with reverse pleat seaming.
Hidden inside stitched-in pencil holder pocket-within-a-pocket 2" wide, 4" long with top-stitched edges.
- Flaps:** Pocket flap approximately 2-1/4" at widest point conceals opening to pocket.
Hem-stitched on top and top-stitched around flaps.

Attachment J.10

Stitching:	See seams.
Front:	Button-over front style with hidden buttons.
Collars:	<p>Jacket-style collar constructed of two (2) plies of shell twill fabric with set-in band of matching fabric housing button and buttonhole closing.</p> <p>Collar shall be top-stitched around the edges.</p>
Sleeve:	Two-piece cuff and placket jacket style sleeve with two-ply rounded inset. Reinforced elbows.
Cuffs:	Hemmed sleeve adjustable cuffs.
Back and Yoke:	One-piece set in yoke, and rounded tail.
Shoulder Straps:	<p>Two (2) shoulder straps, one (1) at each shoulder.</p> <p>Permanent shoulder straps shall be approximately 1-3/4" wide with ends of straps sewn into sleeve joining seam and collar seam.</p> <p>Straps shall be constructed of two (2) plies of shell twill, with an "X" cross-stitched at the shoulder, then top-stitched at shoulder and along the periphery with 0.125 gauge leaving a 2-1/2" open in the center for user to clip on an external microphone or other equipment.</p>
Badge Holder:	Sewn on tab and metal grommet badge holder.
Emblem:	<p>Metropolitan D.C. Police emblem shall be sewn to the left sleeve 1" below the shoulder seam.</p> <p>D.C. New American Experience emblem shall be sewn to the right sleeve 1" below the shoulder seam.</p>
Pressing:	Shirt shall be properly pressed and folded prior to packaging.
Labeling:	Garment shall be permanently labeled with the manufacturer, country of origin, size, fiber content, and care instructions.
Warranty:	Manufacturer agrees to warrant to the original purchaser that the product will be free from defects in material and workmanship for a period of one (1) year from date of purchase. The manufacturer agrees to repair or replace at option any item determined to be defective. This warranty does not cover normal wear and tear, improper cleaning, and damage from chemicals, fire, misuse, accident or negligence. A complete copy of the manufacturer's warranty will be available upon request.
Standard Sample:	In all details not specifically described herein, tailoring, styling, construction, materials, and the components shall conform to the standard sample.
Pre-Bid Sample:	Samples may be provided at the time of the bid opening.

Attachment J.10

- Testing Pre-Bid** Samples submitted by bidders will be compared for tailoring, styling, construction,
- Sample:** materials, and components with the standard sample. Nonconformity of the sample to the specification will be cause for rejection. Any sample by a bidder may be subjected to such test or tests by any Testing Laboratory as the Contracting Officer may select. The bidder shall pay for all costs in connection with any such tests.
- Stock Product:** To ensure availability of style and color for the purpose of maintaining departmental uniformity for future purchases, bidders must provide evidence in the form of catalogs, price lists, or similar written material that this item is currently available on an “as needed” basis. The pre-bid sample must provide from current manufacturer’s stock of the specified style. The successful bidder will be required to provide a full size run of try-on garments within 10 days for agency approval, sizing of personnel, and for further evidence of stock availability.
- Packaging:** Individually flat folded and poly-bagged.

Attachment J.10

Size Chart					
BDU Shirt, Combat Cloth Size Dimensions (Inches)					
Size	Wearer Height	Sleeve	Chest	Across Back	Length
Regular:					
X-Small	67-71	30-31	Up to 33	16	32-1/2
Small	67-71	31-32	33-37	17	32-1/2
Medium	67-71	32-33	37-41	18	32-1/2
Large	67-71	33-34	41-46	19	32-1/2
X-Large	67-71	34-35	45-49	20	32-1/2
2X-Large	67-71	35-36	49-53	21	32-1/2
3X-Large	67-71	36-37	53-57	22	32-1/2
4X-Large	67-71	36-37	57-61	23	32-1/2
Long:					
X-Small	Above 71	32-33	Up to 33	16	33
Small	Above 71	33-34	33-37	17	33
Medium	Above 71	34-35	37-41	18	33
Large	Above 71	35-36	41-46	19	33
X-Large	Above 7	36-37	45-49	20	33
2X-Large	71-75	37-38	49-53	21	33
3X-Large	71-75	38-39	53-57	22	33

Battle Dress Uniform, Shirt, Short Sleeve

Black CLIN # 0087, 0088, 0089

Blue CLIN # 0090, 0091, 0092

Tan CLIN # 0014, 0062, 0063

- Style:** Short-sleeve, Battle Dress Uniform (BDU) shirt.
- Color:** Black CLIN # 0087, 0088, 0089
Blue CLIN # 0090, 0091, 0092
Tan CLIN # 0014, 0062, 0063
- Fabric:** 65% polyester, 35% cotton twill.
- Thread:** Spun polyester.
- Seams:** Single needle construction except sleeve seams.
Sleeve setting seams and body joining seams shall be double needle chain stitched, lap seam toiled construction.
Seams shall be free from puckering, pleats, run-offs, and raw edge.
- Lining:** Non-woven polyester interlining at collar.
- Closures:** Buttons down front including collar tab closing.
Button down flap pockets.
- Buttons:** Nine (9), black 30-ligne melamine plastic 4-hole buttons down the front. Front buttons spaced approximately 4" apart, except for bottom button only 1" distant from eighth button.
Two (2), black 30-ligne melamine plastic 4-hole buttons, one (1) corresponding with each shoulder strap.
Two (2), black 30-ligne melamine plastic 4-hole buttons, one (1) on each flap pocket.
- Buttonholes:** Corresponding vertical eyelet end buttonholes, taper bar cut or cut-first type with #8 gimp inserted.
If cut-first type, thread ends shall be inserted.
- Pockets:** Two (2) breast patch pockets measuring approximately 6"x6" with reverse pleat seaming.
Hidden inside stitched-in pencil holder pocket-within-a-pocket 2" wide, 4" long with top-stitched edges.
- Flaps:** Pocket flap approximately 2-1/4" at widest point conceals opening to pocket.
Hem-stitched on top and top-stitched around flaps.
- Stitching:** See seams.
- Front:** Button-over front style with hidden buttons.

Collars:	Jacket-style collar constructed of two (2) plies of shell twill fabric with set-in band of matching fabric housing button and buttonhole closing. Collar shall be top-stitched around the edges.
Sleeve:	Sleeve ends shall have plackets finishing 1" wide on the top and under placket and shall have a single pleat where attached to the cuffs. Sleeve adjoining seams shall be sewn with an overage safety stitch.
Back and Yoke:	One-piece set in yoke, and rounded tail.
Shoulder Straps:	Two (2) shoulder straps, one (1) at each shoulder. Permanent shoulder straps shall be approximately 1-3/4" wide with ends of straps sewn into sleeve joining seam and collar seam. Straps shall be constructed of two (2) plies of shell twill, with an "X" cross-stitched at the shoulder, then top-stitched at shoulder and along the periphery with 0.125 gauge leaving a 2-1/2" open in the center for user to clip on an external microphone or other equipment.
Badge Holder:	Sewn on tab and metal grommet badge holder.
Emblem:	Metropolitan D.C. Police emblem shall be sewn to the left sleeve 1" below the shoulder seam. D.C. New American Experience emblem shall be sewn to the right sleeve 1" below the shoulder seam.
Pressing:	Shirt shall be properly pressed and folded prior to packaging.
Labeling:	Garment shall be permanently labeled with the manufacturer, country of origin, size, fiber content, and care instructions.
Warranty:	Manufacturer agrees to warrant to the original purchaser that the product will be free from defects in material and workmanship for a period of one (1) year from date of purchase. The manufacturer agrees to repair or replace at option any item determined to be defective. This warranty does not cover normal wear and tear, improper cleaning, and damage from chemicals, fire, misuse, accident or negligence. A complete copy of the manufacturer's warranty will be available upon request.
Standard Sample:	In all details not specifically described herein, tailoring, styling, construction, materials, and the components shall conform to the standard sample.
Pre-Bid Sample:	Samples may be provided at the time of the bid opening.
Testing Pre-Bid	Samples submitted by bidders will be compared for tailoring, styling, construction,
Sample:	materials, and components with the standard sample. Nonconformity of the sample to the specification will be cause for rejection. Any sample by a bidder may be

Attachment J.10

subjected to such test or tests by any Testing Laboratory as the Contracting Officer may select. The bidder shall pay for all costs in connection with any such tests.

Stock Product: To ensure availability of style and color for the purpose of maintaining departmental uniformity for future purchases, bidders must provide evidence in the form of catalogs, price lists, or similar written material that this item is currently available on an “as needed” basis. The pre-bid sample must provide from current manufacturer’s stock of the specified style. The successful bidder will be required to provide a full size run of try-on garments within 10 days for agency approval, sizing of personnel, and for further evidence of stock availability.

Packaging: Individually flat folded and poly-bagged.

Size Chart					
BDU Shirt, Combat Cloth, Short Sleeve Size Dimensions (Inches)					
Size	Wearer Height	Sleeve	Chest	Across Back	Length
Regular:					
X-Small	67-71	17	Up to 33	16	32-1/2
Small	67-71	17	33-37	17	32-1/2
Medium	67-71	17	37-41	18	32-1/2
Large	67-71	17	41-46	19	32-1/2
X-Large	67-71	17	45-49	20	32-1/2
2X-Large	67-71	17	49-53	21	32-1/2
3X-Large	67-71	17	53-57	22	32-1/2
4X-Large	67-71	17	57-61	23	32-1/2
Long:					
X-Small	Above 71	17	Up to 33	16	33
Small	Above 71	17	33-37	17	33
Medium	Above 71	17	37-41	18	33
Large	Above 71	17	41-46	19	33
X-Large	Above 7	17	45-49	20	33
2X-Large	71-75	17	49-53	21	33
3X-Large	71-75	17	53-57	22	33

Attachment J.10

Belt, Sam Browne

CLIN # 0037, 0082, 0083

Manufacture: JAY PEE

Style: 400 MUS

Color: Black

Material: Manufactured from 7/8 oz. top grain bridle cowhide.
Cut full 2 1/4" laminated to 3/4 oz.

Lining: All edges beveled and polished with black edge stain
All edges stitched with five-cord nylon thread.

Buckle: All hard wear solid brass and polished, heavy duty two-prong Sam Brown belt buckle with quality workmanship.
Hook style for easy removal flab on back of hook to protect uniform wear.

Loops: Six sets of holes for size adjustments.

Attachment J.10

Belt, Ultra Duty
CLIN # 0031

Manufacture: Uncle Mike's

Style: Mirage, Plain Ultra Duty with Hook and Loop
7076-1 (Small), 7077-1 (Medium), 7078-1 (Large), 7079-1 (X-large)

Color: Black

Material: Double layer of tough 2" nylon web with polymer stiffener for support. Edges of nylon belt are rolled.

Buckle: Triple Retention Pro-3

Loops: Six sets of holes for size adjustments.

Blouse Coat, Tropical, Blue, Female/Male

Female: CLIN # 0005, 0049

Male: CLIN # 0004, 0046, 0047, 0048

Style: Worsted Company Blue, single-breasted, lapel-collar sack coat.

Construction/Outer: Worsted dark blue wool outer shell lapel collar sack coat to fit easily over the chest and shoulders straight.
Two (2) flap button-down pockets on top, two (2) mock pockets below.
Skirt of jacket to be medium full, extending 1 or 2" below the crotch seams of the trousers, according to the height of the wearer.

**Construction/
Lining:** Black, perspiration-proof, fully-lined body, sleeves, and yoke, securely felled and machine sewn to facings.
Two horizontal inside breast pockets.

Construction/Inner: Interior chest piece with felt padding running full length of chest to the bottom of the gore of the coat.
Armholes to be fitted with shield of same material as coat.

Color: Dark blue with black body lining.

Fabric: 100% worsted wool main body.
Linings, facings, support fabrics as noted.

Thread: Spun polyester except as otherwise indicated.

Seams: Inside seams to be bound with same material as lining on each side where seams are pressed open.
Coat to be turned up 1" at bottom.
Edge to be bound with same material as lining, closely folded to back part.
3/4" outlet on each side of side seam and a 3" turn-up on sleeves for any necessary individual alterations.

Lining: Fully lined, black, perspiration-proof.
Yoke across top of back and arms to meet lining of side body and forepart of blouse.
Lining shall be pre-shrunk 120-count all-viscose rayon twill, free from all impurities and imperfections that affect appearance and serviceability.
Lining to be turned and closely hand-felled at shoulders, securely felled at bottom and at rear edge, and machine sewed to facings.

Closures: Buttoned down front closures and Velcro additions on pocket flaps to keep flaps in place.

Attachment J.10

Buttons:	<p>Four (4) 40-ligne Departmental brass buttons down front, equally spaced. Top button to be placed on a line with tip lower placket flap, to be reinforced with one (1) 18-ligne black bone button on under side. Two (2), 24-ligne Departmental buttons, one (1) on each shoulder to secure shoulder straps. Four (4), 21-ligne Departmental buttons, one (1) each per pocket flap for the two (2) top pockets and the two (2) mock bottom pockets.</p> <p>Six (6) ornamental 24-ligne buttons, three (3) on each cuff spaced approximately 1" apart.</p>
Buttonholes:	<p>Shall be machine-made and a full 1/2" from edge of coat. Thread to be black silk, tailor's buttonhole twist. Ends of holes to be bar tacked by hand.</p>
Pockets:	<p>Two (2) upper pockets to be 5-1/2" wide and 6" deep, slightly rounded at lower corners, with box pleat 1-1/4' in width in vertical line with top button. Patch pockets to be lined with black Silesia. Two (2) horizontal inside breast pockets 6" at opening and 7" deep. Inside breast pockets to be lined with black polyester/cotton twill.</p>
Flaps:	<p>Two (2) upper pocket 5-1/4" flaps with small 21-ligne Departmental brass button at the center and placed so the buttons are at the center and the upper lines are horizontal. There will be a Velcro closing at each end of the flaps, matching body of the coat, to keep the corners of the pockets in place. Two (2) lower 8" pocket flaps with center-placed 21-ligne Departmental buttons, partially stitched down approximately 5-5/8" from end of upper pocket.</p>
Bottoms:	<p>Front overlapping left edge of coat to be cut with a medium flare from right bottom button to bottom of the jacket skirt to give a straight appearance. .</p>
Stitching:	<p>Shall be of same material as coat, cut in one piece and not less than 7" at top and 4" at bottom.</p>
Front:	<p>Coat shall be made of pure "Hymo" grade No. 1750. The interior chest piece shall be cut from quality No. 1632 Hairvas, in a size in proportion to the body of the pattern. Chest piece shall run down the breast line for 16-1/2' for a size 42 and follow across the chest to point 2-1/2" below the armhole. American Felt Company No. 81015 felt padding shall be used for full length of chest and to follow down to the bottom of the gore of the coat with a width of 7-1/2" on this size garment. There shall be 16 rows of zigzag stitching across the chest with shoulder open. The felt shall not have less than 10 full rows of stitching for its entire length to keep the felt in place.</p>

Collars:	Collar to be 1-3/4" at the back seam and at top of lapel. Collar to be horizontal and 3" wide at junction with lapel. Opening notch between collar and lapel should not be wider than 1-1/4" and notch to be approximately 1-3/4" deep.
Sleeve:	Shall be good quality blue wool under-collar cloth (matching color of outer garment) reinforced with first quality jute, closely stitched by machine on the bottom edge and outside edge.
Lapels:	Lapels to be pressed flat.
Armholes:	Shall be fitted with shield, same material as coat, securely stitched to the canvas of coat and under sleeve lining.
Cuffs:	Shall be vent-less and ornamented with three (3) departmental 24-ligne buttons spaced 1" apart with reinforced stitching at toggles to secure buttons in place.
Back and Yoke:	Vented center-seamed back with slight flare at skirt.
Shoulder Straps:	Two (2) shoulder straps, one (1) at each shoulder. To be made of the same material as body of the coat and to measure 2-1/2" at the sleeve head, sewn into the shoulder, and tapering to 1-3/4" at end, forming a point, then extending approximately 1" under the collar. Strap shall be secured by a 24-ligne Metropolitan Police Button approximately 1/4" down edge of the collar. Strap shall be cross-stitched into the shoulder 1-1/2" from the base.
Badge Holder:	Black metal badge holder 1-1/16" long and 3/4" wide with 7/16" from top hole to bottom hole in centerline. Sewn to "blouse" 3/4" above left breast pocket flap and centered on left at breast pocket.
Emblem:	Metropolitan D.C. Police Emblem on left sleeve; top of emblem 1" below shoulder seam. D.C. New American Experience emblem on right sleeve, top of emblem 1" below shoulder seam.
Edges:	Shall be basted by hand machine. Edges to be pressed and double-stitched. 3/8" canvas front shall be trimmed from edge and securely felled to tape.
Pressing:	Steam pressing per best industry practice.
Labeling:	Garment shall be permanently labeled with the manufacturer, country of origin, size, fiber content, and care instructions

Blouse Coat, Tropical, Blue, Female/Male-continued

- Warranty:** Manufacturer agrees to warrant to the original purchaser that the product will be free from defects in material and workmanship for a period of one (1) year from date of purchase. The manufacturer agrees to repair or replace at option any item determined to be defective. This warranty does not cover normal wear and tear, improper cleaning, and damage from chemicals, fire, misuse, accident or negligence. A complete copy of the manufacturer's warranty will be available upon request.
- Standard Sample:** In all details not specifically described herein, tailoring, styling, construction, materials, and the components shall conform to the standard sample.
- Pre-Bid Sample:** Samples may be provided at the time of the bid opening.
- Testing Pre-Bid Sample:** Samples submitted by bidders will be compared for tailoring, styling, construction, materials, and components with the standard sample. Nonconformity of the sample to the specification will be cause for rejection. Any sample by a bidder may be subjected to such test or tests by any Testing Laboratory as the Contracting Officer may select. The bidder shall pay for all costs in connection with any such tests.
- Stock Product:** To ensure availability of style and color for the purpose of maintaining departmental uniformity for future purchases, bidders must provide evidence in the form of catalogs, price lists, or similar written material that this item is currently available on an "as needed" basis. The pre-bid sample must provide from current manufacturer's stock of the specified style. The successful bidder will be required to provide a full size run of try-on garments within 10 days for agency approval, sizing of personnel, and for further evidence of stock availability.
- Packaging:** Individually hung and poly-bagged.

Attachment J.10

Size Chart		
Male Tropical Blouse, Straight Hanging Size Dimensions (Inches)		
Chest	Overarm	Sleeve
Short:		
32	38-39	31
34	40-41	31-1/2
36	42-43	32
38	44-45	32-1/2
40	46-47	33
42	48-49	33-1/2
44	50-51	34
46	52-53	34-1/2
48	54-55	35
Regular:		
32	38-39	32
34	40-41	32-1/2
36	42-43	33
38	44-45	33-1/2
40	46-47	34
42	48-49	34-1/2
44	50-51	35
46	52-53	35-1/2
48	54-55	36
Long:		
32	38-39	33
34	40-41	33-1/2
36	42-43	34
38	44-45	34-1/2
40	46-47	35
42	48-49	35-1/2
44	50-51	36

Attachment J.10

Size Chart		
Male Tropical Blouse, Straight Hanging Size Dimensions (Inches)		
Chest	Overarm	Sleeve
46	52-53	36-1/2
48	54-55	37
Extra-Long:		
32	38-39	34
34	40-41	34-1/2
36	42-43	35
38	44-45	35-1/2
40	46-47	36
42	48-49	36-1/2
44	50-51	37
46	52-53	37-1/2
48	54-55	38

Size Chart			
Female Tropical Blouse, Straight Hanging Size Dimensions (Inches)			
Size	Size	Bust	Sleeve
XS	4-6	34-35	29
S	8-10	36-37	30
M	12-14	38-40	30
L	16-18	41-43	31
XL	20-22	45-48	32
2XL	24-26	50-52	32-1/2
3XL	28-30	54-56	32-1/2
4XL	32-34	56-60	33
5XL	36-38	62-64	33

Body Armor
CLIN # 0084

Manufacture: First Choice

Model: Female MFF310NS, Carrier-NF06
Male MF10NS, Carrier-OCNZ06

The Millennium Flexible IIIA ballistic concealable body armor will be the standard issued vest for each member of the department.

Vest shall be designed and constructed to provide:

1. One (1) set of Millennium Flexible IIIA protective panels (1 front & 1 back)
2. One (2) Millennium Flexible IIIA concealable carriers (2 front & 2 back) with hidden zipper system, bottom loading of protective panels with Patent-pending Leveler™ system eliminating shifting and “scissoring”
3. One (1) 5x8soft trauma plate inserted it device/pocket located on the outside of the front vest carrier.
4. A high degree of concealment and wear ability
5. Minimum restriction of motion and mobility
6. Optimum protective coverage consistent with body shape and size without sacrificing comfort, wearable and/or mobility

6-Point Adjustable Shoulder Strap System: To increase comfort, durability and adjustment range of a minimum of three inches (3”) the shoulder strap attachments shall be constructed of high quality, cut neatly poly-elastic, synthetic hook and shall be modular. To guarantee durability straps are tacked with X-stitching.

**** Patent-pending LEVELER™ System:** A two strap waistband strapping patent-pending system eliminates shifting of ballistic panels and “vest scissoring”.

*** Elastic	Shoulder strap	Belly band
65% Poly 35% Elastic	Two inches (2’’)	Four inches (4’’)
Finish:	Acrylic Polymer	Acrylic Polymer
Elongation:	120% +/- 10%	120% +/- 10%
Pick per inch:	90	90
Filling Yarn:	1 ends, 2/150	1 ends, 2/150
	Textured Polyester	Textured Polyester
Warp Yarn:	101 ends, 2/150	202 ends, 2/150
	Textured Polyester	Textured Polyester
Elastic Element:	34 ends, 34 gauge	68 ends, 34 gauge

Attachment J.10

Extruded Latex

Extruded Latex

*** Hook	Shoulder strap two inches (2")
Nylon / Urethane	Belly band four inches (4")
Weight:	8.1 g/linear yd
Breaking strength	216.9 lbs
Shear strength	20.9 lbs/per inch
Peel strength	2.92 lbs/per inch
Stitching tear	5.8 lbs
Thickness	.082 inches
Fray resistance	<1/32"

WIK-AWAY Mesh Outer-Shell Inner-Shell Fabric Internal Carrier: 100% Nylon, 4.51 oz Mesh fabric with unique Wik-Away silicone emulsion designed to promote wicking of water away from the body.

Poly/Cotton Outer-Shell Inner-Shell Fabric Internal Carrier: 65%Polyester 35% Cotton 4.6 oz fabric.

**** Tails:** The Millennium Flexible IIIA was designed with a two (2) tail front and one tail back for easy adjustability and a better snug fit. Tails are produced out of the same fabric as carrier.

**** Front Loading Panels:** Unique design of carrier with hidden zipper allows for loading of ballistic panels to be easy and functional.

**** Hidden Zipper:** The hidden zipper allows for insertion and removal of both front and back protective panel. This hidden zipper prevents wear and tear to the carrier uniform shirt of the officer and prevents uncomfortable contact with the duty belt being worn.

**** Panel Shape / Design:** The front protective panel for both male and female shall be constructed from a uniform number and combination of ballistic materials. Coverage should be front torso one inch (1") from clavicle depression to one inch (1") of the top of the officer's duty belt, when in a seated position. The female panel shall be constructed to accommodate the contour and/or shape that closely follow the curvature of each individual officer to ensure comfort as well as maximum protection. When female panels are constructed in the production process to fulfill the bust measurement and cup size darts are designed in the construction of the sewing of panels. Princess seams are designed in carrier to ensure cup sizes are accurate. The male and female front panels must have a scooped neckline sufficient to maintain conceal ability with an open shirt collar and have a bicep/chest region cut with sufficient clearance to prevent irritation and restriction of arm movement during common duties such as the operation of motor vehicles.

The back protective panel for both male and female shall be constructed from the same uniform number and combination of ballistic materials as the front protective panel. The back panel must cover the back torso from just above the shoulder blades down to within one inch (1") of the top of the officer's duty belt when in a standing position.

Ballistic Panel Cover:

Each Millennium Flexible IIIA ballistic panel will be permanently covered with either 100% Nylon, 70 Denier 105X/86 Fair-weather semi permeable material that prevents liquid and moisture from penetrating or waterproof fabric with moisture-vapor barrier that is hermetically sealed of tri-blend material. This prevents fuels, body oils and repellents from contaminating the ballistic panel. These items will not cause any negative impact on the waterproof properties of the cover.

Ballistic Panel Materials:

Integrity of all Millennium Flexible IIIA materials will be maintained throughout production of ballistic panels. Ensuring materials are new, unused and without flaws that affect appearance, durability and function.

Labeling:

Label material will withstand normal wear, cleaning and remain readable during the entire warranted life of the armor and/or carrier.

All soft body armor will be labeled in strict adherence to the labeling requirements set forth in NIJ 0101.04 / NIJ 2005 INTERIM REQUIREMENT. The ballistic panel labeling will include, but not limited to the following:

1. Name of Manufacturer
2. Level of Protection
3. NIJ 0101.04 / NIJ 2005 INTERIM REQUIREMENT
4. Date of Fabrication
5. Size
6. Serial Number
7. Model of Vest
8. Lot Number

Serial Numbers: Each unit of soft body armor delivered has an individual serial number. Individual serialized soft body armor will be traceable to its original ballistic material lot number and ballistic material mill roll number. Additionally, the soft body armor serial numbers are also traceable to an incoming material lot test and ballistic panel lay-up lot test.

Measurement and Fitting:

Each delivered vest will fit in accordance with the following guidelines:

1. The side edge of the front and back ballistic panels will meet or overlap with each officer's individual request or departmental requirements during the initial custom fitting.
2. The front ballistic panel will measure one inch from clavicle depression to one inch of the top of the officer's duty belt, when in a seated position.

Attachment J.10

3. The back ballistic panel will measure just above the shoulder blades down to within one inch of the top of the officer's duty belt when in a standing position.
4. Females sizes are determined based on individual measurements, including bust and cup size which are confirmed through the use of a sizing/fit sample in conjunction with tape measure. The female front ballistic panel will be measured to fulfill the bust measurement and cup sizes.

Warranty: Ballistic panels: Five (5) years after date of purchase the manufacturer warrants the ballistic panels against defects in materials and/or workmanship. The alteration of ballistic panels in any way shall render the warranty void.

Modular Cover: Modular machine washable covers will be fully warranted for eighteen (18) month after the date of purchase against any defects in the material and/or workmanship.

Packing: All soft body armor will be packaged and shipped consistent with good commercial practices. Product must be in secure packaging to include owners manual and warranty information.

Body Armor, Vest Carrier, Replacement
CLIN # 0016

Manufacture: First Choice

Model:	Female	Carrier-NF06	for MFF310NS
	Male	Carrier-OCNZ06	for MF10NS

Carrier will include device/pocket located on the outside of the front vest carrier for the soft trauma plate.

Labeling: Label material will withstand normal wear, cleaning and remain readable during the entire warranted life of the armor and/or carrier.

Modular Cover: Modular machine washable covers will be fully warranted for eighteen (18) month after the date of purchase against any defects in the material and/or workmanship.

Packing: All carriers will be packaged and shipped consistent with good commercial practices. Product must be in secure packaging.

Attachment J.10

Body Armor, Vest Carrier, Tactical

CLIN # 0017

Manufacture: First Choice

Model: HS (SPEC OPS HDS)

Color: Black

Carrier will include device/pocket located on the outside of the front vest carrier for the soft trauma plate.

Labeling: Label material will withstand normal wear, cleaning and remain readable during the entire warranted life of the armor and/or carrier.

Packing: All carriers will be packaged and shipped consistent with good commercial practices. Product must be in secure packaging.

Body Armor, Vest Carrier, Wavier
CLIN # 0018

Waiver Vest Carrier

Vest shall be designed and constructed to provide:

1. Vest carrier designed to hold 10x12 and 11x13 Life Shell K2S1 Armor Insert.
2. Velcro® closures on outside of carrier and plate protection pocket options.
3. Adjustable shoulders allow for a more comfortable fit
4. Real working uniform pockets
5. Minimum restriction of motion and mobility
6. Optimum protective coverage consistent with body shape and size without sacrificing comfort, wearable and/or mobility

General Design: It has been determined that there is a direct relationship between the overall design of the Waiver Vest Carrier's protective panels along with the features of the vests and the wear rate of the individual officer.

Internal Hook & Suspension System: Panels and Internal / External Carrier shall be equipped with an internal Loop suspension system which prevents ballistic panels from sagging while ensuring full protection.

Ballistic Panel Cover: Each UNIFORM SHIRT CARRIER ballistic panel will be permanently covered with either 100% Nylon, 70 Denier 105X/86 Fair-weather semi permeable material that prevents liquid and moisture from penetrating or waterproof fabric with moisture-vapor barrier that is hermetically sealed of tri-blend material. This prevents fuels, body oils and repellents from contaminating the ballistic panel. These items will not cause any negative impact on the waterproof properties of the cover.

Color: Blue, undistinguishable in color form the blue uniform shirt

Labeling: Label material will withstand normal wear, cleaning and remain readable during the entire warranted life of the armor and/or carrier.

Packing: All soft body armor wavier vest carriers will be packaged and shipped consistent with good commercial practices.

Attachment J.10

Gloves, White

CLIN # 0040

White cotton parade gloves are required for special occasions and events in law enforcement, to include State funerals, parades, graduations, and dinners.

Style Code: LE-WP- Sizes S, M, L, XL

Material: 100 % cotton
Snap Closure

Hat, 8-Point, Blue
CLIN # 0019

Patrolmen

- Styles:** Shall be Deluxe B-Point Cap with Stationary Cap.
- Dimensions:** The dimensions of a Size 7-1/8 Cap shall be as follow: Front to rear of crown-10-7/8; side to side of crown – 10-3/4” height of Cap in front – 2-3/4”, All other sizes shall be in proportion.
- Covers:** The material shall be # 3933-96 Dark Navy Blue Dacron/Wool Tropical. The covers shall be 8-point style with all acades pressed open and flat. The Cover shall be fully lined with a Black 100% Acetated Taffeta. A Suet Protector of .004 gauges. Clear Polyethylene Film shall cover the Lining and Identification Card Holder; in the form of a rectangle shall be heat sealed directly to the Suet Protector.
- Stylist:** Each Cap Cover shall be provided with a total of 6 Metal Eyelets: 2 Oval Eyelets shall be attached in the front center- 1 horizontal at the top of the Frame Hand, and 1 vertical in center of Cover (1-5/8” spacing center to Center)- and 2 Eyelets will be provided on each side for ventilation.
- Front Support:** The Front Support will be a \$1.70 Black Cap Support with a 1” pocket with 1” plate inserted with stability and will be attached by staples.
- Grommets:** A 2 Stqel Wire Grommet, measured and closed to exact size, shall be interested within the crown of a Cap Cover and through the Front Support To assure proper shape of the Cap Cover.
- Visors:** To be made of 2 pieces; the upper portion to consist of a nylon base with a Black Japoned top: the bottom piece of .095 Genuine Sur-V-Los eith an Embossed Hatters Green base. The 2 pieces will be firmly Cemented together, and Visore, will got bubble, crack or blaster. The Visor shall be shape #65, and into the Frame at an single of 55 degrees and finished 1-7/8” long. All visors shall be blocked to shape in heated forms.
- Front Strap:** Shall be 1/4” heavy black Tubular Cord, The Cord will be held at either end by GLle 24-ligns, Metropolitan Police Department Button.
- Sweatband:** The sweatband shall be 1-1/2” wide, Leather and perforated throughout. The sweatband shall be sewn into the Cap with a zig-zag reeded finished.

Attachment J.10

For Rank of Lieutenant

The Caps will be the same as the Patrolmen above in all respects, except for the following:

Frame Trim: The Frame Band shall have a ¼” heavy Gold Tubular Cord

For Rank of Captain

The Caps will be the same as the Patrolmen above in all respects, except for the following:

Frame Trim: The Frame Band shall have a ½” heavy Gold Band

For the Rank of Inspectors and Commanders

The Caps will be the same as Patrolmen except it will have a Navy Officer Commander Gold Gullion Visor and a GIL-40 Wire Lace Front Strap.

For the Rank of Assistant Chief

The Caps will be the same as above except it will have an Army Gold Bullion Visor.

For the Rank of Chief of Police

The Caps will be the same, as above except it will have a Navy Admiral Gold Bullion Visor.

Attachment J.10

Hat, Winter Trooper, w/MPD Logo

CLIN # 0039

Manufacture: Blauer

Style: # 9111, Trooper Cap w/ GORE-TEX® Fabric

Color: Dark Blue

Features: Rugged Super Taslan nylon shell fabric with breathable printed backcoating
Waterproof, windproof, breathable GORE-TEX® fabric
B.WARM® insulated quilt lining
Pile-lined flaps secure up over the crown or down to protect ears with adjustable strap

Patches: 3 ¼" Metropolitan Police Department patch (Front Flap)

Jacket, Winter, Black

Female: CLIN # 0025, 0074, 0075

Male: CLIN # 0024, 0072, 0073

Manufacture: Blauer

Style: # 9626, Jacket w/ GORE-TEX® Fabric

Color: Black

Features: Durable Taslan nylon outer shell fabric with patented breathable printed backcoating
Waterproof, windproof, breathable GORE-TEX® fabric lining
Optional SCOTCHLITE™ safety package deploys from pockets & back collar.
Zip-out B.WARM® insulated quilted liner with zip off sleeves for versatile all-season wear
Seams sealed with GORE-SEAM® tape
Delrin zipper with waterproof inner fly
10" side zippers with snap-tab closures
Double-entry lower pockets with flaps & uniform buttons
Large inside zippered pocket
Pit zippers for access to shell.
Badge tab
Name tab
2-piece sleeves
Military style epaulets with uniform buttons
2" elasticized waistband
26" long
CF6110 is detachable pile collar
9625 includes detachable high-luster pile collar
HF9600 is optional detachable hood (order snaps on collar)

Patches: Subdued-Metropolitan Police Department Patch (Left Arm)

Jacket, Winter, Blue

Female: CLIN # 0023, 0070, 0071

Male: CLIN # 0022, 0068, 0069

Manufacture: Blauer

Style: # 9626, Jacket w/ GORE-TEX® Fabric

Color: Dark Blue

Features: Durable Taslan nylon outer shell fabric with patented breathable printed backcoating
Waterproof, windproof, breathable GORE-TEX® fabric lining
Optional SCOTCHLITE™ safety package deploys from pockets & back collar.
Zip-out B.WARM® insulated quilted liner with zip off sleeves for versatile all-season wear
Seams sealed with GORE-SEAM® tape
Delrin zipper with waterproof inner fly
10" side zippers with snap-tab closures
Double-entry lower pockets with flaps & uniform buttons
Large inside zippered pocket
Pit zippers for access to shell.
Badge tab
Name tab
2-piece sleeves
Military style epaulets with uniform buttons
2" elasticized waistband
26" long
CF6110 is detachable pile collar
9625 includes detachable high-luster pile collar
HF9600 is optional detachable hood (order snaps on collar)

Patches: Metropolitan Police Department Patch (Left Arm)
The American Experience Patch (Right Arm)

Motorcycle Breeches, Winter/Summer
CLIN # 0036

Breeches, Motorcycle Tropical, 11-11.5 oz Per Linear Yard to be Reinford Style No. 39933-96 and F Blue

Materials

Weave:	Tropical
Weight:	11-11.5 Ounces per Linear Yard
Fiber Content:	55% Dacron polyester/ 45% Wool
Ply or Yarn:	3- ply Warp and Filling
Breaking Strength:	110 Pounds in the Warp, 100 pound in the fill
Construction:	50 ends per inch, 40 picks per inch
Finish:	Fabric to be treated with a water repellent, stain resistant finish equal to Repel
Color:	P&F Blue 3933-96
Sponged:	Fabric to be independently cold water London shrunk and decatized
Wool:	The stock shall be non- pilling Dacron. T54 Polyester not acceptable
Matching:	The color of the finished cloth shall match the standard sample under natural 9 north Sky) daylight having a color temperature of 7500 Kelvin
Colorfastness:	The finished cloth shall show good colorfastness to light: crackling, perspiration and dry cleaning.
Design:	Breeches shall be manufactured from up-to date patterns and must be designed so that there will be a slight “peg” at the hip and no baggy seat. The front be plain (no pleats) with two (2) top pockets, two hip pockets with flaps to button, one club pocket below right hip pocket and two watch pockets. All pockets shall be bartacks with diamond bartacks except for the watch pocket, which is to have straight bartacks. Hip pockets will be of the double welts method, manufactured on ROCCO PW Machine, and shall be finished in such a manner that there is no topstitching. The welts shall be interlined with Pellon.

Attachment J.10

- Pocketing:** The pocketing shall be 70% Polyester, 30% Cotton, and 209 oz. per ounce. Per square yard (60% width) with a minimum 78x64 count. Pocketing must have a durable press finish and the color of the pocketing must be black.
- Waistband:** Waistband curtain to be black, approximately 2 ¾" wide with three rows of snug-tied, tex Completely around the interior of the pants and 1 5/8" bankroll to prevent rolling shall be caught in the top stitching. Snug-tex to extend over the French fly and waistband curtain with snug Tex to cover the black seam outlet. Recap type waistband to be used waistband curtain shall be constructed with 3" wide buckram backing. Polyester will not be accepted.
- Reinforcement:** Reinforcement in the seat shall be the same material as used in the breeches, and shall between into crotch as legs, seams. Width of reinforcement at crotch shall be not less than 5 inches on each side of center and seat seam, and shall extend upward for a distance of approximately 10 ¾ inches. Width of seats reinforcement at the center between top and bottom shall be not less than 5 ½ inches from each side of center seam.
- Seams:** Center back turn under shall be no less than 3 inches to take care of any alterations and shall be sewn on a double needle chain stitch machine having tandem needles with an offset of L"32", the seam is to be sewn with the same stitch. The out seam is to be sewn with a single needle chain stitch. The hip darts are to be cut open and under pressed flat before pockets are cut; no top stitched hip darts will be acceptable. All seams to be served on a 3- thread.
- Fly Lining:** The fly lining shall be the same fabric and color as the waistband and pocketing. The right fly lining must be sewn to the left fly below the zipper with strong closure and smart appearance. There shall be a French Fly closure on the inside of the right fly and the fabric for the French fly must be the same as the outer material of the trousers. Closed with a #4, Nuglid Nickel with a locking slider and matching tap (must match breeches material). The zipper stay is to be matching to exact size as the fly and to be merged together. The fly lining and the French fly are to be made of matching twill. The zipper is to be ¾ inches under the opening. The fly lining is to have a tail covering inseam at crotch. Crotch is to be lined front and backed (4quarter) with a single thickness of the same matching twill having a pinked outer edged.
- Belt Loops:** There shall be loops ¾ inches wide, of double thickness and each loop must be interlined with a non-woven fabric. All loops (except) for the back center loop) must be sewn into the bottom of the waistband of the top of all loops shall be caught into the waistband and curtain seam. The waistband shall measure approximately 2" wide when finished, wide enough to comfortably accommodate a belt 1 5/8 wide. The back center loop shall be I inch wide.
- Bartacks:** Triangle bartacks are to be placed at each end of the hip pockets and at the bottom of the side pockets. These triangle bartacks are to be made on a triangle bartack machine having 32 stitches on each side of the triangle, each side to be 1/8" long. Eighteen of these stitches are to be straight stitched and 14" are to be zigzag

Attachment J.10

covering stitches. The angles formed by the legs of the triangle are to be no more or less than 60 degrees. All other points of strain to be secured with regular bartack.

Miscellaneous: Breeches have a Talon#42 Memory Lock Zipper. The tape of which has permanent press: Finish and there shall be a bartack at the bottom of the fly, going through the zipper tape. The breeches must be seamed with matching thread and the seat seam must be stitched with Tandem needle machine (2 threads). All exposed inside edges must be stitches. Breeches to have full cavalry reinforcement cut square at the top and not to be more than 3/8" from the hip pocket. Bottom of breeches shall have zipper closures.

Buttons: They shall be securely placed on left hip pocket, a 24-ligna black bone, and 4-hole button with a vertical buttonhole.

Mountain Bike, Jacket
CLIN # 0093

Manufacture: MOCEAN

Style: Velocity Jacket #5050AC

Color: Royal Blue and Police Navy

Requirements: Jacket with zip off sleeves and liner with zip-off the sleeves to convert the jacket into a vest. DC American Experience patch sewn on right sleeve; MPD patch sewn on left sleeve; microphone tabs sewn on both epilates; name bar keeper on right chest; badge keeper on left chest. Reflective tape on front chest & back cape and reflective tape around waist. 2 Velcro waist keepers. Printed as follows: Back of jacket- font is Swiitzerlandinserant...1 line...3M Silver Reflective Ink....13" x 3.5" with Text: "POLICE". Sleeves, on both arms -font is Swiitzerlandinserant...3M Silver Reflective Ink...14"x 2"...Text "POLICE" running vertical starting 4" below patches, sizes: small, medium large, x-large, 2x-large, 3x-large, 4x-large

Attachment J.10

Mountain Bike, Pants

CLIN # 0064

Manufacture: MOCEAN

Style: Approach Pants, #2150

Color: Police Navy

Requirements: Velcro web keepers, chamois pad, and elastic stirrup, sizes: small, medium large, x-large, 2x-large, 3x-large, 4x-large

Attachment J.10

Mountain Bike, Shirts, Long Sleeve

CLIN # 0065

Manufacture: MOCEAN

Style: Velocity #0255

Color: Light Blue

Requirements: DC American Experience patch sewn on right sleeve; MPD patch sewn on left sleeve; microphone tabs sewn on both epilates; name bar keeper on right chest; badge keeper on left chest with internal sling. Printed as follows: Back of shirt-font is Switzerlandinserant...2 lines...3M Silver Reflective Ink...each line is 13" x 3" with Text: "METROPOLITAN POLICE". Sleeves, on both arms -font is Switzerlandinserant...3M Silver Reflective Ink...9.5"x 1.5"...Text "POLICE" running vertical starting 4" below patches, sizes: small, medium large, x-large, 2x-large, 3x-large, 4x-large

Mountain Bike, Shirts, Short Sleeve
CLIN # 0066

Manufacture: MOCEAN

Style: Velocity #0254

Color: Light Blue

Requirements: DC American Experience patch sewn on right sleeve; MPD patch sewn on left sleeve; microphone tabs sewn on both epilates; name bar keeper on right chest; badge keeper on left chest with internal sling. Printed as follows: BACK-font is Swiitzerlandinserant...2 lines...3M Silver Reflective Ink...each line is 13"x 3" with Text: METROPOLITAN POLICE. SLEEVES- font is Swiitzerlandinserant...3M Silver Reflective Ink..3"x 1"...Text: POLICE. sizes: small, medium large, x-large, 2x-large, 3x-large, 4x-large

Attachment J.10

Mountain Bike, Shorts

CLIN # 0067

Manufacture: MOCEAN

Style: Approach Shorts, #1150

Color: Police Navy

Requirements: Velcro web keepers, chamois pad, sizes: small, medium large, x-large, 2x-large, 3x-large, 4x-large

Mounted/Motor Patrol Helmet
CLIN # 0032

- Note:** **Helmet shall meet all requirements set forth in the of the Department of Transportation's Standards for Motorcycle Helmets (DOT) FMVSS 218.**
- Manufacture** Super Seer Corporation, Evergreen, CO 80439
- Model Number:** Model # S1602V-436SLT
- Components:** Helmet will consist of a hard outer shell, inner liner of semi-resistant material, head suspension unit for sizing and ventilation, retention system of a "Y" configuration chin strap of tubular nylon with securely attached throat sleeve and snap on detachable visor. Each helmet shall have snaps to attach tactical duty accessories. Foul weather accessories may be attached using either snaps or Velcro. The use of tools or implements to attach tactical duty or foul weather accessories will not be permitted.
- Shell:** The shell will be constructed of multiple layers of fiberglass, utilizing Hi Pressure Compression Molding for increased strength will maintaining a lightweight helmet. Shell will have air vents and edge will have a finished trim made of steel core extruded neoprene rubber. Shell to be manufactured to accept standard snap on-viper. Finish shall be high gloss protected, clear, hard, scratch resistant coating. Complete helmet not to exceed two pounds six ounces.
- Liner:** Summer/winter interiors to be constructed of expanded polyurethane; liner shall have a minimum thickness of 3/8 of an inch, in test plane area to provide maximum impact energy attention. Liner must have molded fit pad recesses of optimum wearer comfort.
- Suspension System:** The suspension system will be incorporated into the liner to provide an adjustable method by which it will allow adjustment and ventilation for the comfort of the user. The suspension system shall be installed using Velcro, for easy removal when cleaning, adjustment or replacement is required.
- Sizing System:** Shell sizes shall be available to offer optimum comfort and appearance, with an interior pad system included in 1/2, 3/8 and 1/4 inch thickness to allow adjustment for proper fit and comfort. Pads are to be constructed of closed cell foam with a polypropylene cloth cover material to enhance the comfort of the user by wicking perspiration away from the users head. Size will range from 6 3/8" to 8 3/8".
- Retention System:** The retention system will include a four-point "Y" harness including a chinstrap to be made of black tubular nylon webbing double bar tacked in critical are, covered with perspiration resistant vinyl. Harness to be reverted to shell at four points. Harness to be equipped with all metal working parts, Quick Release Buckle to allow "timely" entrance or exit from helmet, even when user had gloves on. Harness shall have provisions for Velcro attachment of accessories such as

Attachment J.10

earmuffs, foul weather adapter, and a nape strap around the rear of the helmet to assist retention of the helmet on the head during a forward fall.

Visor: Black patent material attached to front to function as a sunshade using engraved "P" buttons. Attachment will be capable of disengage during an impact or physical combat. The visor band shall be silver.

Foul Weather Accessories: Fur lined ear and neck cover shall be included for attachment to harness by means of Velcro.

Color: Three colors of paint, white top with black low trim around the bottom, with the front of the helmet customized by painting blue to match the current design in use by the MPD SOD Motormen.

Sizes: Helmets shall be available to fit corresponding hat sizes:

Small	(6 1/2 – 6 7/8)
Medium	(7 – 7 1/4)
Large	(7 3/8 – 7 3/4)
X-Large	(7 7/8)
XX-Large	(8)

Certifications & Requirements:

1. Must certify in writing that each helmet submitted under the specifications, terms and condition of this bid meets or exceeds DOT's safety standard FMVSS 218 is required.
2. Must certify in writing that each tactical face shield submitted under the specifications terms and condition of this bid meets or exceeds safety Standard ANAI Z87 is required.

Mounted Patrol Rain Jacket
CLIN # 0033, 0078, 0079

Manufacture: Blauer

Style: #9970-2 super shell jacket with CROSSTECH fabric

Color: Dark Navy

Features: Waterproof, windproof, breathable 3- layer CROSSTECH, public safety fabric provided blood, body fluid and chemical resistant
NFPA 1900 (2003 edition) complaint
Zip-out B Warm plus fleece insulated quilted liner
Seams sealed with GORM-SEAM tape
Abrasion resistant illuminate reflective patch fabric
Drop shoulder design and articulated elbows for unrestricted movement
Waterproof zippered cargo/hand warmer pockets with flaps and hidden pencil slots
Interior security pockets are accesses with zippers from under front fly flaps so that you don't have to open your jacket
Double storm flies and chin guard front zipper
Side opening use waterproof zippers restricted access for equipment
Zippered opening on shoulder patches allow attachments of emblems and provide two additional pockets
Equipment strap epaulets provide secure attachments to microphones
Elasticized hook and loop cuffs and elasticized draw cord back provide adjustment for a weather tight-fit
Badge tab
Name tab
29" long

Patches: Metropolitan Police Department Arm Patch (Left Arm)
The American Experience Arm Patch (Right Arm)

Attachment J.10

Mounted Patrol Rain Pants

CLIN # 0034, 0080, 0081

Manufacture: Blauer

Style: # 9972, Super Shell Pants w/ CROSSTECH Fabric

Color: Dark Navy

Features: Waterproof, windproof, breathable 3- layer CROSSTECH, public safety fabric provided blood, body fluid and chemical resistant NFPA 1990 (2003 edition) complaint
Seams sealed with GORM-SEAM tape
Waterproof leg zippers with tab closures
Elasticized
Duty belt attachments loops
Matches Super Shell GTX and GTX + PLUS Series Stock Size
Scales: U3

Mounted Patrol Riding Breeches
CLIN # 0035

- Requirements:** This specification covers the requirements for uniform breeches made from first quality 94% Nylon and 6% Lycra Fabric, 15 OUNCE Fabric as manufactured by the Summit Knitting Mills. Reference # 2NL 171 Police and Fire Shade of Blue.
- Style:** Military style pattern shall be used with fitted waistband and finished hems produced according to sizing, to be made with two full straight side pockets and two rear pockets with pocket flaps with eyelets. Density of buttonhole 50 stitches per inch with a four hole 24 linge plastic buttons. The Breeches are to be made semi-peg style with a slight hip flair. All breeches are to have double seat and legs. The calf area will close via Velcro and there shall be an elastic stirrup attached to the hem. The hem will be piped in a black polyester material.
- Pockets:** Front on seam straight pockets approximately 6 ¼ opening and measuring from the top of the opening to the bottom of the pocket measures approximately 13". The back pocket opening is to be 5 12 wide and 7" deep. All pockets are to be sewn inside out ant turned then top stitched for extra strength. All pocket welts are to be interlined with pellon and then top stitched.
- Belt Loops:** All trousers are to have 7 belt loops 7/8" wide and 2" long. All loops are to have double stitching for extra strength. All loops are to be sewn into waistband. At the top and bottom and must accommodate a 1 ¾" duty belt. All loops are to be sewn in such a manner as not to allow raw edges.
- Pocketing:** To be 2.5 Natural Drill, Poly/Cotton Twill #230 as manufactured by QST Industries. Blend to be 70% Cotton and 30% Polyester.
- Waistband:** Waistband curtain to be black, approximately 2 ¾" wide with three rows of snug-ted completely around the interior of the pants and 1 5/8" bankroll to prevent rolling shall be caught in the top stitching. Snug-tex to extend over the French fly and waistband curtain with snug Tex to cover the back seam outlet. Rocap type waistband to be used waistband curtain shall be constructed with 3" wide buckram backing. Polyester will not be accepted.
- Fly:** Talon zipper is to be brass # 609-0-025 with a #001-5310-05-03-04-000 Slide, cut and gapped to precise lengths for individual breeches. Zipper slide is to be heavy duty self locking closure to be crush proof heavy duty hook and eye style with a 1-piece French fly and fly button fastening at the base of the waistband. Two piece fly and button tab is not acceptable.
- Construction:** All stress points are to be properly bar tacked and closing seams to have #40 Polyester cord reinforced thread for extra strength. Breeches must be properly shaped the out seams and inseams to be pressed open flat. All edges will be finished smooth with 15 stitches per inch. There will be no raw edges inside or outside of the Breeches. All breeches are to have approximately 5" polyester and cotton crotch reinforcement sewn in size may vary according on the breech size.

Attachment J.10

Certification: Vendor shall be responsible for all requirements, specifications and standards and shall certify compliance with all of the above. There shall be no sub-contracting of either the cutting or the manufacturing of the breeches and doing so will be cause for rejection for the garments.

Necktie, Blue
Female CLIN # 0021

Necktie, Female

Dark Blue, Uniform Clip-on Style, made of 75% Polyester and 25% Wool.

The width of the knot shall measure 2 ¼" across bottom of tie.

Length of the knot shall measure 1 ¼".

The finished length of the necktie shall be measured from top of knot to the bottom tip end of tie and shall measure 9 ½" with tolerances.

The width of the tie shall be 2 ¼" at the widest point across center and shall taper to 1 5/8" at the bottom.

Material must be washable fade-proof and spot resistant.

Necktie, Blue
Male CLIN # 0020

Necktie, Male

Dark Blue, Uniform Clip-on Style, made of 75% Polyester and 25% Wool.

Necktie, Men's navy Blue Clip-On with Bend-over Clip, 2 ½" knot.

Tie shall be 2" at widest point. Length shall be 17".

Material must be washable fade-proof and spot resistant.

Necktie shall have three button holes to hold tie in place.

Attachment J.10

Raincoats, Reflective, Unisex

CLIN # 0026, 0076, 0077

Manufacture: Blauer

Style: 733

Name Tab: Name Tab Right Breast 7/8 x 3 with Eyelets 1 5/8" Center to Center.
Both Sides

Badge Tab: Badge Tab Left Breast 7/8 x 2 1/2 with Eyelets 1 3/8" Center to Center.
Both Sides

Shirt, Long Sleeve, White, Female
CLIN # 0003, 0045

Style:	Long-sleeve, convertible-collar shirt.
Color:	White Galey and Lord or equivalent.
Fabric:	Plain poplin weave of 65% polyester, 35% combed cotton, approximately 4 oz. per square yard.
Thread:	Spun polyester.
Seams:	Standard double needle tailoring.
Lining:	Collar is lined with 100% Dacron® polyester.
Closures:	Button front as well as button cuff closures at sleeves.
Buttons:	Six (6) white pearlized thermosetting polyester buttons in a row down the front of the shirt. Two (2) white pearlized thermosetting polyester buttons, one (1) at each cuff. Two (2) white pearlized thermosetting polyester buttons, one (1) each at shoulder strap. Two (2) white pearlized thermosetting polyester buttons, one (1) each at flap pocket.
Buttonholes:	Corresponding vertical buttonholes down the front of the shirt, on each pocket flap, and on shoulder straps. Corresponding horizontal buttonholes at the cuffs.
Pockets:	Two plain mitered corner pockets within size range of 4-3/4" long to 5-3/4" long, at right and left, beginning 7" down from shoulder seam. Left pocket to have 1-3/4" pencil stitch. One (1) button sewn to each pocket to correspond to flap buttonholes Set pockets with triangular stitch at upper corners.
Flaps:	Flap size range within 4-7/8" wide and 2" deep to 5-3/8" wide and 2-1/8" deep, depending on pocket size. Left flap shall have 1-1/2" opening to correspond to pencil stitch in pocket. Vertical buttonhole to correspond to pocket button.
Stitching:	Collar, flaps, pockets, and shoulder seam to be topstitched 1/8".
Front:	Plain front with approximately 3" revers; buttonholes on right side and buttons on left side. Six (6) buttons spaced 3-1/2" apart.

Attachment J.10

Collars:	Convertible collar with 3-1/4" points and topstitched 1/8" with permanent collar stays.
Sleeve:	One-piece sleeve with top placket 1" wide and bottom placket at cuff opening.
Cuffs:	Cuffs to be 2-5/8" wide and topstitched 1/8"; to close with one (1) button and horizontal buttonhole.
Back and Yoke:	One-piece yoke.
Shoulder Straps:	Two (2) shoulder straps, one (1) at each shoulder. Approximately 2" at sleeve tapered to approximately 1-1/2" at collar. Button at pointed end; to be stitched to shoulder by a single needle machine forming as an "X" on the fabric. The button-less opposite end to be cross-stitched to shoulder approximately 2" from shoulder seam.
Badge Holder:	Internal support strap with (2) small external buttonholes spaced 1-1/4" apart and lower buttonhole 1-1/2" below shoulder seam.
Emblem:	Metropolitan D.C. Police emblem shall be sewn to the left sleeve 1" below the shoulder seam. D.C. New American Experience emblem shall be sewn to the right sleeve 1" below the shoulder seam.
Pressing:	Component parts to be pressed on hot heat machines; finished shirts to be hand pressed and folded.
Labeling:	Garment shall be permanently labeled with the manufacturer, country of origin, size, fiber content, and care instructions.
Warranty:	Manufacturer agrees to warrant to the original purchaser that the product will be free from defects in material and workmanship for a period of one (1) year from date of purchase. The manufacturer agrees to repair or replace at option any item determined to be defective. This warranty does not cover normal wear and tear, improper cleaning, and damage from chemicals, fire, misuse, accident or negligence. A complete copy of the manufacturer's warranty will be available upon request.
Standard Sample:	In all details not specifically described herein, tailoring, styling, construction, materials, and the components shall conform to the standard sample.
Pre-Bid Sample:	Samples may be provided at the time of the bid opening.
Testing Pre-Bid Sample:	Samples submitted by bidders will be compared for tailoring, styling, construction, materials, and components with the standard sample. Nonconformity of the sample to the specification will be cause for rejection. Any sample by a bidder may be

Attachment J.10

subjected to such test or tests by any Testing Laboratory as the Contracting Officer may select. The bidder shall pay for all costs in connection with any such tests.

Stock Product: To ensure availability of style and color for the purpose of maintaining departmental uniformity for future purchases, bidders must provide evidence in the form of catalogs, price lists, or similar written material that this item is currently available on an “as needed” basis. The pre-bid sample must provide from current manufacturer’s stock of the specified style. The successful bidder will be required to provide a full size run of try-on garments within 10 days for agency approval, sizing of personnel, and for further evidence of stock availability.

Packaging: Pack each shirt in a polyethylene bag; pack six (6) shirts of the same size in one box. Stamp box with shirt size, quantity, and Police Department Order Number.

Size Chart					
Female Long Sleeve Shirt					
Size Dimensions (Inches)					
Size	Chest	Waist	Length	Sleeve Regular	Sleeve Long
30	37-1/2	30-1/2	27	32-1/2	34-1/2
32	39-1/2	32-1/2	27	32-1/2	34-1/2
34	41-1/2	34-1/2	28	33	35
36	43-1/2	36-1/2	28	33	35
38	45-1/2	38-1/2	28	33	35
40	47-1/2	40-1/2	28	33-1/2	35-1/2
42	49-1/2	42-1/2	28	33-1/2	35-1/2
44	51-1/2	44-1/2	28	34-1/2	36-1/2
46	53-1/2	46-1/2	28	35-1/2	37-1/2
48	55-1/2	48-1/2	28	35-1/2	37-1/2
50	57-1/2	50-1/2	28	35-1/2	37-1/2

Shirt, Long Sleeve, White, Male
CLIN # 0002, 0044

Style:	Long-sleeve, convertible-collar shirt.
Color:	White Galey and Lord or equivalent.
Fabric:	Plain poplin weave, 65% polyester, 35% combed cotton, approximately 4 oz. per square yard.
Thread:	Spun polyester.
Seams:	Standard double needle tailoring.
Lining:	Collar is lined with 100% Dacron® polyester.
Closures:	Button front as well as button cuff closures at sleeves and placket.
Buttons:	Six (6) white pearlized thermosetting polyester buttons in a row down the front of the shirt. One (1) white pearlized melamine button at collar. Four (4) white pearlized thermosetting polyester buttons, two (2) at each cuff. Two (2) white pearlized thermosetting polyester buttons, one (1) at each shoulder strap. Two (2) white pearlized thermosetting polyester buttons, one (1) at each breast pocket. Two (2) white pearlized thermosetting polyester buttons, one (1) on each sleeve placket.
Buttonholes:	Corresponding vertical buttonholes down front, pocket flaps, and sleeve placket. Corresponding horizontal buttonholes at shoulder straps and cuffs.
Pockets:	Two (2) stitched down, pleated style, button down, breast pockets with mitered corners to finish 5-1/2" wide and 6" long. Button sewn to each pocket to correspond to flap buttonholes. Left pocket to have 1-3/4" pencil stitch. Both pockets to have 1-1/2" pleats stitched down to prevent spreading.
Flaps:	Two (2) flaps 5-5/8" wide and 2-1/8" long, with mitered corners; die cut and creased to ensure uniformity. Left flap to have 1-1/2" opening to correspond to pencil stitch in pocket. Vertical buttonhole to correspond to pocket button.
Stitching:	Collar to be top-stitched 3/16". Flaps, pockets, and shoulder straps to be edge stitched. Sleeving to use felling and merrowing with safety stitch.
Front:	Plain front with 1-1/2" rever on left side.

Attachment J.10

Seven (7) buttons spaced 3-1/2" apart, including collar button.

- Collars:** Dress style, die cut collar to be topstitched 3/16".
Collar points are 3-1/8" long and back of collar is approximately 1-1/2" wide.
Collar to close with one (1) button and buttonhole.
- Sleeve:** One-piece sleeve with 3" wide double-button cuff, to be top-stitched 3/16".
One mitered placket tab opening above cuff on each sleeve to close with one (1) button.
- Cuffs:** 3" wide and to close with two (2) buttons and two (2) horizontal buttonholes.
- Back and Yoke:** One-piece yoke.
- Shoulder Straps:** Two (2) shoulder straps, one (1) at each shoulder.
Approximately 2" at sleeve tapered to approximately 1-1/2" at collar.
Set point of strap about 1/2" from collar.
Buttonhole at pointed end to correspond to button on yoke.
Button at pointed end; to be stitched to shoulder by a single needle machine forming as an "X" on the fabric.
The button-less opposite end to be cross-stitched to shoulder approximately 2" from shoulder seam.
- Badge Holder:** Internal badge support with two (2) small horizontal buttonholes spaced 1-1/4" apart and lower buttonhole 1-1/2" above left flap.
- Emblem:** Metropolitan D.C. Police emblem shall be sewn to the left sleeve 1" below the shoulder seam.
D.C. New American Experience emblem shall be sewn to the right sleeve 1" below the shoulder seam.
- Pressing:** Component parts to be pressed on hot head machines and finished shirts to be hand pressed and folded.
- Labeling:** Garment shall be permanently labeled with the manufacturer, country of origin, size, fiber content, and care instructions.
- Warranty:** Manufacturer agrees to warrant to the original purchaser that the product will be free from defects in material and workmanship for a period of one (1) year from date of purchase. The manufacturer agrees to repair or replace at option any item determined to be defective. This warranty does not cover normal wear and tear, improper cleaning, and damage from chemicals, fire, misuse, accident, or negligence. A complete copy of the manufacturer's warranty will be available upon request.
- Standard Sample:** In all details not specifically described herein, tailoring, styling, construction, materials, and the components shall conform to the standard sample.

Attachment J.10

Pre-Bid Sample: Samples may be provided at the time of the bid opening.

Testing Pre-Bid Sample: Samples submitted by bidders will be compared for tailoring, styling, construction, materials, and components with the standard sample. Nonconformity of the sample to the specification will be cause for rejection. Any sample by a bidder may be subjected to such test or tests by any Testing Laboratory as the Contracting Officer may select. The bidder shall pay for all costs in connection with any such tests.

Stock Product: To ensure availability of style and color for the purpose of maintaining departmental uniformity for future purchases, bidders must provide evidence in the form of catalogs, price lists, or similar written material that this item is currently available on an “as needed” basis. The pre-bid sample must provide from current manufacturer’s stock of the specified style. The successful bidder will be required to provide a full size run of try-on garments within 10 days for agency approval, sizing of personnel, and for further evidence of stock availability.

Packaging: Pack each shirt in a polyethylene bag; pack four (4) shirts of the same size in one box. Stamp box with shirt size, quantity, and Police Department Order Number.

Size Chart			
Male Long Sleeve Shirt, White			
Size Dimensions (Inches)			
Neck	Sleeve	Chest	Across Back
13 to 13-1/2	30-31	31-32	16
14 to 4-1/2	31-32	34-36	17
15 to 15-1/2	32-33	38-40	18
16 to 16-1/2	33-34	42-44	19
17 to 17-1/2	34-35	46-48	20
18 to 18-1/2	35-36	50-52	21
19 to 19-1/2	35-36	54	22
20 to 20-1/2	36-37	56	23
21 to 21-1/2	36-37	58	24
22 to 22-1/2	37-38	60	25

Shirt, Short Sleeve, White, Female
CLIN # 0085

Color:	White Galey and lord or Equal.
Style:	Short sleeve convertible. Collar shirt, plain six (6) button front, Plain pockets with flaps and shoulder strap.
Fabric:	Plain poplin weaves, 65% polyester, 35% combed cotton Approximately 4oz. per square yard.
Collar:	Convertible collar with 3 ¼" points; top stitched 1/8". Permanent collar stays.
Sleeves:	Short to finish a minimum of 9 ½" and a maximum of 9 ¾" with ¾" hem.
Front:	*(PLAIN) Two rows of permanent stitching down the front And three rows down the back. Plain front with approximately 3" reverse; buttonholes on the right side and buttons on the left Side; Six (6) buttons spaced 3/13" apart.
Pockets:	To have two pleated breast pockets with mitered corners, in Two sizes; Sizes 30 and 32 pockets sizes 4 ¾" long; Sizes 34 and greater shall have pockets 5 1/4" wide and 5 ¾"
Long:	Left pocket to have 1 3/4" pencil stitch; a button sewn to each Pocket to correspond to flap buttonhole; set pockets with Triangular stitch at upper corners.
Badge Patch:	Sling type badge patch to finish 1 2/4" wide with ray edge turned under; two small horizontal buttonholes spaced ¼" apart and lower buttonhole 1 ½" below shoulder seam.
Stitching:	Collar to be top stitched 3 1/6" flaps, pockets and shoulder straps to be edge stitched: sleeving and falling to be merrowed with safety stitch.
Lining:	Collar, 100% Dacron polyester.
Buttons:	White pearlized thermosetting polyester, 4 holes.
Thread:	Spun polyester.
Pressing:	Component parts to be pressed on hot head machine finish shirt to be hand pressed and folded.

Attachment J.10**Packing:**

Pack each shirt in a polyethylene bag: pack four (4) shirts of the same size in one box. Stamp box. Stamp boxes with shirt size, qty and Police Department Order Number.

The following measurements shall be used:

Size Chart				
Female Short Sleeve Shirt, White				
Size Dimensions (Inches)				
Size	Chest	Waist	Length	Sleeve
30	37-1/2	30-1/2	27	17
32	39-1/2	32-1/2	27	17
34	41-1/2	34-1/2	28	17
36	43-1/2	36-1/2	28	17
38	45-1/2	38-1/2	28	17
40	47-1/2	40-1/2	28	17
42	49-1/2	42-1/2	28	17
44	51-1/2	44-1/2	28	17
46	53-1/2	46-1/2	28	17
48	55-1/2	48-1/2	28	17
50	57-1/2	50-1/2	28	17

Shirt, Short Sleeve, White, Male
CLIN # 0086

Color:	White Galey and lord or Equal.
Style:	Short sleeve convertible. Collar shirt, plain six (6) button front, Plain pockets with flaps and shoulder strap.
Fabric:	Plain poplin weaves, 65% polyester, 35% combed cotton approximately 4oz. per square yard.
Collar:	Convertible collar with 3 ¼" points; top stitched 1/8". Permanent collar stays.
Sleeves:	Short to finish a minimum of 9 ½" and a maximum of 9 ¾" with ¾" hem.
Front:	*(PLAIN) Two rows of permanent stitching down the front and three rows down the back. Plain front with approximately 3" reverse; buttonholes on the right side and buttons on the left Side; Six (6) buttons spaced 3/13" apart.
Pockets:	To have two pleated breast pockets with mitered corners, in Two sizes; Sizes 30 and 32 pockets sizes 4 ¾" long; Sizes 34 and greater shall have pockets 5 1/4" wide and 5 ¾" Long; Left pocket to have 1 3/4" pencil stitch; a button sewn to each Pocket to correspond to flap buttonhole; set pockets with Triangular stitch at upper corners
Badge Patch:	Sling type badge patch to finish 1 2/4" wide with ray edge turned under; two small horizontal buttonholes spaced ¼" apart and lower buttonhole 1 ½" below shoulder seam.
Stitching:	Collar to be top stitched 3 1/6" flaps, pockets and shoulder straps to be edge stitched; Sleeving and falling to be merrowed with safety stitch.
Lining:	Collar, 100% Dacron polyester.
Buttons:	White pearlized thermosetting polyester, 4 holes.
Thread:	Spun polyester.
Pressing:	Component parts to be pressed on hot head machine finish shirt to be hand pressed and folded.

Attachment J.10

Packing:

Pack each shirt in a polyethylene bag: pack four (4) shirts of the same size in one box. Stamp box. Stamp boxes with shirt size, qty and Police Department Order number.

The following measurements shall be used:

SIZE	CHEST	WAIST	LENGTH
14-14 ½	42	39	32
15-15 ½	46	43	32 ½
16-16 ½	50	47	33
17-17 ½	54	51	33 ½
18-18 ½	58	54	34
19-19 ½	62	59	34 ½
20-20 ½	62	59	34 ½
21-21 ½	62	59	34 ½
22-22 ½	62	59	34 ½
23-23 ½	62	59	34 ½
24-24 ½	62	59	34

Shirt, Long Sleeve, Blue, Female/Male

Female CLIN # 0030

Male CLIN # 0027

Style:	Five-crease, traditional military-style, stretch fabric, long-sleeve, banded dress-collar shirt.
Color:	Medium blue.
Fabric:	80% polyester, 20% rayon with 12% filling stretch polyester in an overall stretch satin weave.
Thread:	Spun polyester.
Seams:	Standard double needle tailoring. External stitched-down creases, three (3) in back, two (2) in front.
Lining:	100% polyester satin.
Closures:	Button front as well as button cuff closures at sleeves.
Buttons:	Six (6) self-colored melamine buttons in a row down the front of the shirt. One (1) self-colored melamine button at collar on the right. Two (2) self-colored melamine buttons at each cuff. Two (2), decorative single buttons, one (1) on each pocket flap. Two (2), decorative single buttons, one (1) on each shoulder strap.
Buttonholes:	Six (6) vertical buttonholes corresponding to front buttons. One (1) horizontal buttonhole at collar. Two (2), vertical mock buttonholes, one (1) corresponding to each pocket flap button. Two (2), horizontal buttonholes, one (1) corresponding to each adjustable two-button cuff.
Pockets:	Two (2) matching pleated breast pocket with mitered flaps. Pencil slot left, 1-1/4" wide. Two (2) mock button closures, easy open/close in self-colored Velcro, one (1) on each pocket.
Flaps:	Mitered die-cut flaps on each pocket, double row stitched on top, single row stitched on bottom.
Stitching:	Standard double needle tailoring.
Front:	Seven-button front with extra long shirttails.
Collars:	Banded dress collar measuring 1-1/4" high in back, made of two (2) plies of polyester/rayon and one (1) ply of polyester satin. Collar stand shall be made of one (1) ply of polyester satin. There shall be permanent collar stays sewn to the under collar.

Attachment J.10

Collar shall be top-stitched around the edges and collar points shall be approximately 3 " long.
The collar stand shall close with one (1) button set to the top of the placket.

Sleeve: Sleeve ends shall have plackets finishing 1" wide on the top and under placket and shall have a single pleat where attached to the cuffs. Sleeve adjoining seams shall be sewn with an overage safety stitch.

Cuffs: Cuffs shall finish 2-1/4" wide.
Cuffs shall be constructed of two (2) plies of specified stretch polyester/rayon and plus one (1) ply of polyester rayon interlining.
Cuffs shall be top-stitched on the edges.
Cuff shall be two-button adjustable with buttons set side-by-side.

Back and Yoke: One-piece yoke, lined in polyester satin
Three (3) external seams down back for tapered fit.

Shoulder Straps: Two (2) shoulder straps, one (1) at each shoulder.
Shoulder straps shall be stretch polyester/rayon.
Shoulder straps shall be sewn into the sleeve head seam and measure 1-1/2" wide at the point, set with the point from the collar seam.
There shall be a buttonhole at the pointed end of the shoulder strap to function with the specified button sewn to the shirt on the shoulder.
The shoulder straps shall be plain, not box and X-stitched to the shoulder.

Badge Holder: Badge eyelet attachment with internal support strap.

Emblem: Metropolitan D.C. Police emblem shall be sewn to the left sleeve 1" below the shoulder seam.
D.C. New American Experience emblem shall be sewn to the right sleeve 1" below the shoulder seam.

Pressing: Loose threads shall be trimmed and shirts shall be pressed completely prior to packaging.

Crease Retention: Silicone crease retention process.

Labeling: Garment shall be permanently labeled with the manufacturer, country of origin, size, fiber content, and care instructions.

Warranty: Manufacturer agrees to warrant to the original purchaser that the product will be free from defects in material and workmanship for a period of one (1) year from date of purchase. The manufacturer agrees to repair or replace at option any item determined to be defective. This warranty does not cover normal wear and tear, improper cleaning, and damage from chemicals, fire, misuse, accident or negligence. A complete copy of the manufacturer's warranty will be available upon request.

Attachment J.10

Standard Sample: In all details not specifically described herein, tailoring, styling, construction, materials, and the components shall conform to the standard sample.

Pre-Bid Sample: Samples may be provided at the time of the bid opening.

Testing Pre-Bid Sample: Samples submitted by bidders will be compared for tailoring, styling, construction, materials, and components with the standard sample. Nonconformity of the sample to the specification will be cause for rejection. Any sample by a bidder may be subjected to such test or tests by any Testing Laboratory as the Contracting Officer may select. The bidder shall pay for all costs in connection with any such tests.

Stock Product: To ensure availability of style and color for maintaining departmental uniformity for future purchases, bidders must provide evidence in the form of catalogs, price lists, or similar written material that this item is currently available on an “as needed” basis. The pre-bid sample must provide from current manufacturer’s stock of the specified style. The successful bidder will be required to provide a full size run of try-on garments within 10 days for agency approval, sizing of personnel, and for further evidence of stock availability.

Packaging: Pack each shirt in a polyethylene bag; pack three (3) shirts of the same size in one box. Stamp box with shirt size, quantity, and Police Department Order Number.

Size Chart			
Male Long Sleeve Shirt, Blue			
Size Dimensions (Inches)			
Neck	Sleeve	Chest	Across Back
13 to 13-1/2	30-31	31-32	16
14 to 4-1/2	31-32	34-36	17
15 to 15-1/2	32-33	38-40	18
16 to 16-1/2	33-34	42-44	19
17 to 17-1/2	34-35	46-48	20
18 to 18-1/2	35-36	50-52	21
19 to 19-1/2	35-36	54	22
20 to 20-1/2	36-37	56	23
21 to 21-1/2	36-37	58	24
22 to 22-1/2	37-38	60	25

Attachment J.10

Size Chart					
Female Long Sleeve Shirt, Blue					
Size Dimensions (Inches)					
Size	Chest	Waist	Length	Sleeve Regular	Sleeve Long
30	37-1/2	30-1/2	27	32-1/2	34-1/2
32	39-1/2	32-1/2	27	32-1/2	34-1/2
34	41-1/2	34-1/2	28	33	35
36	43-1/2	36-1/2	28	33	35
38	45-1/2	38-1/2	28	33	35
40	47-1/2	40-1/2	28	33-1/2	35-1/2
42	49-1/2	42-1/2	28	33-1/2	35-1/2
44	51-1/2	44-1/2	28	34-1/2	36-1/2
46	53-1/2	46-1/2	28	35-1/2	37-1/2
48	55-1/2	48-1/2	28	35-1/2	37-1/2
50	57-1/2	50-1/2	28	35-1/2	37-1/2

Shirt, Short Sleeve, Blue, Female/Male

Female CLIN # 0029

Male CLIN# 0028

Style:	Five-crease, traditional military-style, stretch fabric, short-sleeve, banded, dress-collar shirt.
Color:	Medium blue.
Fabric:	80% polyester, 20% rayon with 12% filling stretch polyester in an overall stretch satin weave.
Thread:	Spun polyester.
Seams:	Standard double needle tailoring. External stitched-down creases, three (3) in back, two (2) in front.
Lining:	100% polyester satin.
Closures:	Buttons down front including collar button. Mock flap closing with side Velcro closing.
Buttons:	Seven (7) self-colored melamine buttons down front including collar button. Two (2), decorative single buttons, one (1) on each pocket flap. Two (2), decorative single buttons, one (1) on each shoulder strap.
Buttonholes:	Six (6) vertical buttonholes corresponding to front buttons. One (1) horizontal buttonhole at collar. Two (2) vertical buttonholes corresponding to each pocket flap button.
Pockets:	Two (2) matching pleated breast pocket with mitered flaps. Pencil slot in left pocket, stitched down 1" to the right side of pocket. Mock button closure, easy open/close in self-colored Velcro.
Flaps:	Mitered die-cut flaps on each pocket. Double row stitched on top and single row stitched-on bottom.
Stitching:	Standard double needle tailoring.
Front:	Seven (7) button front with extra long shirttails.
Collars:	Banded dress collar measuring 1-1/4" high in back, made of two (2) plies of polyester/rayon and one (1) ply of polyester satin. Collar stand shall be made of one (1) ply of polyester satin. There shall be permanent collar stays sewn to the under collar. Collar shall be top-stitched around the edges and collar points approximately 3" long. The collar stand shall close with one (1) button set to the top of the placket.

Attachment J.10

Sleeve:	Sleeve ends shall have plackets finishing 1” wide on the top and under placket and shall have a single pleat where attached to the cuffs. Sleeve adjoining seams shall be sewn with an overage safety stitch.
Back and Yoke:	One-piece yoke, lined in polyester satin. Three (3) external seams down back for tapered fit.
Shoulder Straps:	Two (2) shoulder straps, one (1) at each shoulder. Shoulder straps shall be stretch polyester/rayon. They shall be sewn into the sleeve head seam and measure 1-1/2” wide at the point, set with the point from the collar seam. There shall be a buttonhole at the pointed end of the shoulder strap to function with the specified button sewn to the shirt on the shoulder. The shoulder straps shall be plain, not box and X-stitched to the shoulder.
Badge Holder:	Badge eyelet attachment with internal support strap.
Emblem:	Metropolitan D.C. Police emblem shall be sewn to the left sleeve 1” from shoulder seam. D.C. New American Experience emblem shall be sewn to the right sleeve 1” from shoulder seam.
Pressing:	Loose threads shall be trimmed and shirts shall be pressed completely prior to packaging.
Crease Retention:	Silicone crease retention process.
Labeling:	Garment shall be permanently labeled with the manufacturer, country of origin, size, fiber content, and care instructions.
Warranty:	Manufacturer agrees to warrant to the original purchaser that the product will be free from defects in material and workmanship for a period of one (1) year from date of purchase. The manufacturer agrees to repair or replace at option any item determined to be defective. This warranty does not cover normal wear and tear, improper cleaning, and damage from chemicals, fire, misuse, accident or negligence. A complete copy of the manufacturer’s warranty will be available upon request.
Standard Sample:	In all details not specifically described herein, tailoring, styling, construction, materials, and the components shall conform to the standard sample.
Pre-Bid Sample:	Samples may be provided at the time of the bid opening.
Testing Pre-Bid Sample:	Samples submitted by bidders will be compared for tailoring, styling, construction, materials, and components with the standard sample. Nonconformity of the sample to the specification will be cause for rejection. Any sample by a bidder may be subjected to such test or tests by any Testing Laboratory as the Contracting Officer may select. The bidder shall pay for all costs in connection with any such tests.

Attachment J.10

Stock Product: To ensure availability of style and color for the purpose of maintaining departmental uniformity for future purchases, bidders must provide evidence in the form of catalogs, price lists, or similar written material that this item is currently available on an “as needed” basis. The pre-bid sample must provide from current manufacturer’s stock of the specified style. The successful bidder will be required to provide a full size run of try-on garments within 10 days for agency approval, sizing of personnel, and for further evidence of stock availability.

Packaging: Pack each shirt in a polyethylene bag; pack three (3) shirts of the same size in one box. Stamp box with shirt size, quantity, and Police Department Order Number.

Size Chart			
Male Short Sleeve Shirt, Blue			
Size Dimensions (Inches)			
Neck	Sleeve	Chest	Across Back
13 to 13-1/2	17	31-32	16
14 to 4-1/2	17	34-36	17
15 to 15-1/2	17	38-40	18
16 to 16-1/2	17	42-44	19
17 to 17-1/2	17	46-48	20
18 to 18-1/2	17	50-52	21
19 to 19-1/2	17	54	22
20 to 20-1/2	17	56	23
21 to 21-1/2	17	58	24
22 to 22-1/2	17	60	25

Attachment J.10

Size Chart				
Female Short Sleeve Shirt, Blue				
Size Dimensions (Inches)				
Size	Chest	Waist	Length	Sleeve
30	37-1/2	30-1/2	27	17
32	39-1/2	32-1/2	27	17
34	41-1/2	34-1/2	28	17
36	43-1/2	36-1/2	28	17
38	45-1/2	38-1/2	28	17
40	47-1/2	40-1/2	28	17
42	49-1/2	42-1/2	28	17
44	51-1/2	44-1/2	28	17
46	53-1/2	46-1/2	28	17
48	55-1/2	48-1/2	28	17
50	57-1/2	50-1/2	28	17

Trousers, Tropical, Blue, Unisex
CLIN # 0001, 0041, 0042, 0043

Style:	French-fly tailored summer trousers.
Color:	Dark blue.
Fabric:	75% Dacron polyester / 25% wool blend.
Thread:	Vat-dyed spun polyester.
Seams:	Center back turn-under shall be no less than 2-1/2" to take care of any allowances for alterations, and shall be sewn on a double needle chain stitch machine having tandem needles with an offset of 1/32". Inseam is to be sewn with a single needle chain stitch.
Lining:	Crotch to be lined front and back (four quarters with a single thickness of the same matching lining and having a pinked miter edge).
Closures:	Zipper and slider closure at waist.
Buttons:	One (1) inside button. One (1) button on left back pocket.
Buttonholes:	Tab closure add-on piece with vertical buttonhole, at fly for men's style. Internal loop tab closure with horizontal buttonhole, inside the fly for women's style.
Zipper:	Zipper closing with a locking slider in machine tape to match trouser. Zipper stay shall be cut matching Silesia to exact size as the fly and will be serge-stitched together.
Fly:	French fly is to be full 3" under the opening and made of same fabric as the trousers.
Pockets:	Two angled side pockets on men's style have matching facing. Left pocket has center button, welt stitching. Loop tab closing. Right back pocket has welt-seamed opening.
Waistband:	No-roll waistband to prevent shirt pullout.
Belt Loops:	Measure 2" high and 1-1/4" wide. Double thickness of matching fabric with edges butted at the back. A minimum of seven (7) belt loops, with additional belt loops proportional to larger sizes.
Bar-Tacks:	Bar-tacks are to be placed at each end of hip pocket and side pockets. All points of strain in crotch area are also to be bar-tacked.

Bottoms:	Bottoms to be un-hemmed and plain with no flare. Inseam length shall be at least 36".
Pressing:	Pressed and folded crease over crease.
Crease Retention:	Permanent crease process.
Labeling:	Garment shall be permanently labeled with the manufacturer, country of origin, size, fiber content, and care instructions.
Warranty:	Manufacturer agrees to warrant to the original purchaser that the product will be free from defects in material and workmanship for a period of one (1) year from date of purchase. The manufacturer agrees to repair or replace at option any item determined to be defective. This warranty does not cover normal wear and tear, improper cleaning, and damage from chemicals, fire, misuse, accident or negligence. A complete copy of the manufacturer's warranty will be available upon request.
Standard Sample:	In all details not specifically described herein, tailoring, styling, construction, materials, and the components shall conform to the standard sample.
Pre-Bid Sample:	Samples may be provided at the time of the bid opening.
Testing Pre-Bid Sample:	Samples submitted by bidders will be compared for tailoring, styling, construction, materials, and components with the standard sample. Nonconformity of the sample to the specification will be cause for rejection. Any sample by a bidder may be subjected to such test or tests by any Testing Laboratory as the Contracting Officer may select. The bidder shall pay for all costs in connection with any such tests.
Stock Product:	To ensure availability of style and color for the purpose of maintaining departmental uniformity for future purchases, bidders must provide evidence in the form of catalogs, price lists, or similar written material that this item is currently available on an "as needed" basis. The pre-bid sample must provide from current manufacturer's stock of the specified style. The successful bidder will be required to provide a full size run of try-on garments within 10 days for agency approval, sizing of personnel, and for further evidence of stock availability.
Packaging:	Packaged folded crease over crease in standard manner.

Attachment J.10

Size Chart					
Male Summer Trousers					
Size Dimensions (Inches)					
Size	Seat	Thigh	Knee	Bottom	Rise
28	36	23-5/8	18-1/8	18-1/4	9-1/8
30	38	24-5/8	18-1/8	18-1/4	9-3/8
32	40	25	19	18-1/4	9-1/2
34	42	26	19-1/2	18-1/4	9-7/8
36	44	27	19-3/4	18-3/4	9-7/8
38	46	28	20-3/4	19-1/4	10
40	47	29-1/4	21	20	10-3/8
42	49	30-1/4	21-3/4	20-3/4	10-3/8
44	51	31	22-1/2	21	11
46	53	32	23-1/4	21	11-1/4
48	55	33	24	21	11-1/4
50	57	34-1/2	24	21	11-3/4
52	59	36	24-1/2	21-1/4	12
54	63	36	24-1/2	21-1/4	12-1/4
56	64-1/2	36-1/2	25-1/4	21-1/2	12-1/2
58	65-1/2	37-1/2	25	21-1/2	12-1/2
60	66	38	25	21-1/2	12-3/4

Attachment J.10

Size Chart						
Female Summer Trousers						
Size Dimensions (Inches)						
Size	Seat	Hip	Thigh	Knee	Bottom	Rise
4	23-1/2	34	23	18-1/2	17-1/2	9
6	25-1/2	36	23	19	18-1/4	9-1/4
8	27-1/2	38	23-1/2	19-1/4	18-1/2	9-5/8
10	29-1/2	40	24	20	19	9-3/4
12	31-1/2	42	25-1/2	20	19	9-3/4
14	33-1/3	44	26-1/4	20-1/4	19	10-1/4
16	35-1/2	46	27	21	19	10-1/4
18	37-1/2	47	27-1/2	21	19	11
20	39-1/2	50	29	21-1/4	19-1/2	11
22	41-1/2	52	29-1/2	21-3/4	19-3/4	11
24	43-1/2	54	30	22	19-3/4	11-3/8
26	45-1/2	56	31	23	20	11-3/4

Attachment J.10

Visibility Vest

CLIN # 0038

Manufacture:	Blauer
Style:	343P, 5 Point Breakaway Required
Lettering:	Reflexive panels front and back with "POLICE" lettering
Name Tab:	Name Tab Right Breast 7/8 x 3 with Eyelets 1 5/8" Center to Center.
Badge Tab:	Badge Tab Left Breast 7/8 x 2 ½ with Eyelets 1 3/8" Center to Center.

Metropolitan Police Department Emblems and Patches



Patch No. 1
Air Support Unit Patch

Patch No. 2
The Bomb Unit Patch




Attachment J.10



Patch No. 3
The Harbor Patrol Patch

Patch No. 4
The Mounted Patrol Patch






Patch No. 5
SubDued MPD Patch

Patch No. 6
ERT Patch





Patch No. 7
MPD ERT Patch

Patch No. 8
DC Canine Corps – style 1



Attachment J.10



Patch No. 9
DC Canine Corps –style 2

Patch No. 10
Sergeant Chevron – style 1





Patch No. 11
Sergeant Chevron – style 2




Patch No. 12
Sergeant Chevron – style 3



Patch No. 13
Master Patrol Officer – style 1




Patch No. 14
Master Patrol Officer – style 2



Patch No. 14
Private First Class – style 1

Patch No. 15
Private First Class – style 2

Patch No. 16
MPD Police Officer Patch



Attachment J.10



Patch No. 16
MPD Police Officer Patch

Patch No. 17
The American Experience Patch



LAST

PAGE